

# Quality Rubber Flooring

Welcome to MICROCELLS, your partner in Superior Quality Rubber Flooring....

MCL started with a dream of an untiring entrepreneur, Anil Wickremeratne, an Engineer by profession with long experience in the Rubber and Automobile Industry, who created MCL against all odds in 1978 with a staff of nine and a production area of 9,200 sq. ft. Today, MCL is among the world's largest rubber mat manufacturers with an experienced, skilled and dedicated workforce of 150 +, and a production area of over 100,000 sq. ft. MCL continues to be family owned and is now a Board of Investment company.

At MCL, we believe in High Standards of Quality, Consistency, Flexibility and Prompt Service. We also believe in Making Friends, Building Partnerships and Rewarding our Customers for the valuable business they give us. Being a family run business, you, as a customer / partner of MCL, will experience the personal, warm and dedicated attention whilst at the same time, you will gain confidence in the expertise and quality of a world-class company.

**Be our Partner in Quality Rubber Flooring.....  
Depend on us to deliver .....**

MCL is synonymous with Superior Quality and we are proud to maintain our position as a Quality Matting Supplier catering to the Industrial, Food Service, Office and Commercial and Agricultural sectors.

Our facility is equipped with several semi-automated compounding lines, hydraulic presses ranging from 400 – 4000 Tons and machines for continuous sheeting, well geared to supply our customer requirements. It has always been the endeavour of MCL to bring in efficiency and productivity through continuous improvement to process, automation, mechanization and expansion.

Our most valuable internal asset is our people. MCL is a lean organization with an empowered workforce and management. We are backed by a staff of Project Engineers, Process Control Engineers, Technologist, R & D personnel, Production Managers, Accountants and Marketers on whom you could count on for quality and superior service. Together, we continuously strive to give you the best solution to your requirements to re-enforce your confidence in MCL.

# CONTENTS

## KEY (SYMBOL)

### ENTRANCE & GENERAL PURPOSE MATS

FINGERTIP MAT	01
DOOR MAT RANGE	02
WROUGHT IRON MAT RANGE	03
MAT TRAY	04
FLUTED MAT	05
K OCTAGONAL MAT	06
D HONEYCOMB MAT	07
BATH MAT	08
TABLE MAT	09
HALLWAY MAT	10
CHAIR MATS	11
SOLID TOP GYM	12

### KITCHEN & RESTAURANT MATS

LINK MAT	13
LINK HEAVY DUTY MAT	14
METRIC HEAVY DUTY MAT	15
VIP TOPDECK	16

### INDUSTRIAL MATS

COMFORTLOK	17
DOME MAT	18
SAFEWORK MAT	19

WORKRITE MAT	20
WORKSAFE HEAVY DUTY MAT	21
WORKSAFE MODULAR	22
SOLID TOP	23
DIAMOND MODULAR	24
SCRAPPER MAT	25
BOOT DIP MAT	26
STEP MAT	27

### ANIMAL & AGRICULTURAL MATS

STABLE MAT	28
CHANNEL MAT	29
TRAILER MAT	30
















































### SPECIALTY MATTING

FIRE RESISTANT MAT	31
ELECTRO-STATIC DISCHARGE MAT (ESD)	32
STATIC DISSIPATIVE MAT	33
WELDING MAT	34
CUTTING FLUID RESISTANT MAT	35
MARBLEIZED & PLAIN SHEETING	36
EPDM INSULATION SHEETS	37
GRIT MAT	38

### SPECIFICATIONS

LOADABILITY  
ACHIEVEMENTS

# KEY

	Entrance		Cold Storage Rooms		Horse Stables		Industrial
	Kitchen and Restaurant		Farms		Golf tee Areas		Restaurants
	Airports		Welding Stations		Fisheries		Fire Hazard Areas
	Computer Rooms		Hospitals		Pig Pen		Vending Machines
	Behind Counters		Offices		Indoor Staircases		Meat and Poultry
	Factory Hallway		Laboratories		Poultry Pen		Heavy Material Unloading/Stacking Area
	Shopping Mall		Machine shop		Busy Pedestrian		Beauty Parlours
	Bars		Machine shop		Slopes		Sensitive Electrical Appliances
	Train Stations		Ski Slopes		Gymnasiums		Decks
	Electrical Distribution Places		Walkways		Wooden Hard Flooring		Swimming Pool
	Wet and Oily Environments		Schools		Circuit Manufacture		Locker Rooms
	Carpeted Floors		High Voltage Areas		Circuit Manufacture		Service Stations

# FINGERTIP MAT

Excellent Dirt Trapper

## FEATURES

- ◆ UV resistant, good out door life.
- ◆ Brushing actions of resilient rubber fingertips wipes off and traps dirt, mud, grit and sand from footwear.
- ◆ Fingertip sensation encourages wiping of feet whilst walking.
- ◆ No-trip safety beveled edges.
- ◆ Remains flexible even during cold weather.
- ◆ Easy clean up compared to carpet fibre mats.
- ◆ Strong construction prevents movement of mat.



Cleaning : vaccum, hose or shake



Code	Size		Colour	Type	Weight	
	Centimetres	Inches			Kgs	Lbs
M 025 A BK S	61 x 81 x 1.40	24 x 32 x ½	BLACK	NR	5.20	11.40
M 026 A BK S	81 x 99 x 1.40	32 x 39 x ½	BLACK	NR	7.00	15.40
M 084 A BK S	71 x 117 x 1.40	28 x 46 x ½	BLACK	NR	9.00	19.80
M 085 A BK S	91 x 152 x 1.40	36 x 60 x ½	BLACK	NR	13.00	28.60
M 027 A BK S	91 x 182 x 1.40	36 x 72 x ½	BLACK	NR	14.80	32.60

# DOOR MAT RANGE

Happy Home Maker

## FEATURES

- ◆ Variety of designs to appeal your taste and fashion.



Mat	Code	Size	Colour	Type	Weight	
		Centimetres			Kgs	Lbs
Honeycomb Mat	M 032 A BK S	60 x 40 x 2.30	BLACK	NR	2.00	4.40
Honeycomb Mat	M 033 A BK S	57 x 38 x 2.30	BLACK	NR	2.00	4.40
Honeycomb Mat	M 088 A BK S	80 x 50 x 2.30	BLACK	NR	4.25	9.40
Square Mat	M 062 A BK S	60 x 42 x 0.80	BLACK	NR	1.20	2.60
Rialto Mat	M 054 A BK S	70 x 40 x 1.20	BLACK	NR	2.30	5.10
Zenith Mat	M 072 A BK S	60 x 40 x 1.70	BLACK	NR	1.80	4.00
Cleangrid Mat	M 004 A BK S	50 x 35 x 1.50	BLACK	NR	1.80	4.00
Diamond Mat	M 021 A BK S	58 x 33 x 1.20	BLACK	NR	1.20	2.60
K Octagonal	M 037 A BK S	60 x 40 x 2.30	BLACK	NR	2.70	5.90
D Honeycomb	M 017 A BK S	59 x 39 x 1.60	BLACK	NR	1.75	3.80
D Honeycomb	M 016 A BK S	59 x 39 x 2.30	BLACK	NR	2.00	4.40

# WROUGHT IRON MAT RANGE

Majestic Home Decorator

## FEATURES

- ◆ Intricate traditional creeper designs for a touch of royalty.



Cleaning : hose or shake



NELUM



ARUNA



HIRU



VISHWA



HANSA



SAMAN


Mat	Code	Size		Colour	Type	Weight	
		Centimetres	Inches			Kgs	Lbs
Hiru	WHI B BK S	75 x 45 x 1.50	30 x 18 x 5/8	BLACK	NR	3.30	7.30
Saman	WSA A BK S	75 x 45 x 1.50	30 x 18 x 5/8	BLACK	NR	2.30	5.10
Kétha	WKE A BK S	75 x 45 x 1.30	30 x 18 x 1/2	BLACK	NR	2.30	5.10
Nelum	WNE A BK S	75 x 45 x 1.50	30 x 18 x 5/8	BLACK	NR	2.70	5.90
Latha	WLA A BK S	75 x 45 x 1.20	30 x 18 x 1/2	BLACK	NR	1.70	3.70
Hansa	WHA A BK S	75 x 25 x 0.10	30 x 10	BLACK	NR	0.70	1.50
Aruna	WAR R BK S	75 x 45 x 1.50	30 x 18 x 5/8	BLACK	NR & COIR	2.60	5.70
Vishwa	WVI R BK S	75 x 45 x 1.50	30 x 18 x 5/8	BLACK	NR & COIR	3.20	7.00

# MAT TRAY

Safe Coir Protector

## FEATURES

- ◆ Provides complete safety solution for coir or fabric mats
- ◆ Collects dirt, dust and loose fibre
- ◆ Easy to lift and clean compartment due to light weight



Available except in UK.

Cleaning : wash and dry or shake



Code	Size		Colour	Type	Weight	
	Centimetres	Inches			Kgs	Lbs
M 046 A BK S Tray Cavity size	76 x 43 x 1.5 69.70 x 41.8 x 1.45	30 x 17 x 5/8	BLACK	NR	1.50	3.3

# FLUTED MAT

Elegant, Free Stander

## FEATURES

- ◆ Ribbed design scrapes and retains dirt and sand
- ◆ Effective and elegant anti-fatigue standing mat.
- ◆ Choice of colours to blend with environment.



Available except in UK.

Cleaning : vacuum, hose or shake



Code	Size		Colour	Type	Weight	
	Centimetres	Inches			Kgs	Lbs
M 028 A BK S	76 x 46 x 0.5	30 x 18 x 1/5	BLACK	NR	2.30	5.1
M 029 A BK S	91 x 61 x 0.5	36 x 24 x 1/5	BLACK	NR	4.70	10.3
M 030 A BK S	91 x 182 x 0.5	36 x 72 x 1/5	BLACK	NR	11.40	25.0



# K OCTAGONAL MAT


Strong Sturdy Gripper

## FEATURES

- ◆ Strong sturdy grip ensures slip resistance.
- ◆ Octagonal Open design facilitates water/liquid drainage.
- ◆ Good fatigue reliever due to thick rubber mass.
- ◆ Firm connectors to cover larger areas
- ◆ Allows colourful brush insertions for extra cleaning.
- ◆ Particularly suitable for wet and snowy areas.



Cleaning : wash and dry




Code	Size		Colour	Type	Weight	
	Centimetres	Inches			Kgs	Lbs
M 036 A BK S	152 x 101 x 2.3	60 x 40 x 7/8	BLACK	NR	19.30	42.4
M 036 A GR S	150 x 100 x 2.3	60 x 40 x 7/8	GREEN	NR	19.30	42.4
M 039 A BK S	80 x 50 x 2.2	31 x 20 x 7/8	BLACK	NR	4.80	10.6
A 077 A BK	Connector		BLACK	NR	0.03	0.06
	Brushes		RED/YELLOW BLUE/GREEN	PVC	0.01	0.02

# D HONEYCOMB MAT


R u g g e d   D e f e n d e r

## FEATURES

- ◆ Strong rugged mat to defend all conditions.
- ◆ Honeycomb open design facilitates water/liquid drainage.
- ◆ Easily connectable ramping for no-trip safety.
- ◆ Firm connectors to cover large areas
- ◆ Allows colourful brush insertions for extra cleaning.
- ◆ Particularly suitable for wet and snowy areas.



Cleaning : Hose wash and dry



Code	Size		Colour	Type	Weight	
	Centimetres	Inches			Kgs	Lbs
M 012 A BK S	120 x 80 x 2.3	48 x 32 x 7/8	BLACK	NR	10.20	22.40
M 011 A BK S	120 x 80 x 1.8	48 x 32 x 3/4	BLACK	NR	9.65	21.20
M 011 D RD S	120 x 80 x 2.3	48 x 32 x 7/8	RED	20% NBR	12.00	26.40
M 015 A BK S	152 x 100 x 2.3	60 x 40 x 7/8	BLACK	NR	17.50	38.50
A 075 A BK	Connector		BLACK	NR	0.03	0.06
A 084 A BK	Ramps		BLACK	NR	2.80	6.16

# BATH MAT

Slip Protector



## FEATURES

- ◆ Be sure and safe, enjoy your bath.
- ◆ Suction knobs at back of mat provides better grip and slip protection
- ◆ Match your bathroom with pastel to dark colours.



Available except in Europe, Australia & New Zealand

Cleaning : Drain and dry after usage.



Code	Size		Weight	
	Centimetres	Inches	Kgs	Lbs
B1	28cm x 20cm	11 x 8	0.30	0.66
B2	74cm x 36cm	29 x 14	0.55	1.21
B3	96cm x 34cm	38 x 13	0.80	1.76

# TABLE MAT

Smart plate holder

## FEATURES

- ◆ Surface grip holds crockery in place.
- ◆ Match you dining with our colour assortment.
- ◆ Non staining, heat resistant
- ◆ UV resistant for out door use.
- ◆ Ideal for out door catering, boats, ships



Cleaning : wash and dry



Code	Size		Colour	Type	Weight	
	Centimetres	Inches			Kgs	Lbs
M 086 A BKS	22 x 22	9 x 9	BLACK / BLUE GREEN / RED	NR	0.15	0.33

# HALLWAY MAT

Walkway decorator

## FEATURES

- ◆ Covers hard factory floors & walkways and provides relief from foot fatigue.
- ◆ Anti-slip due to tile effect.
- ◆ Longer durability for heavy traffic Hallways and corridors.
- ◆ Back larger cylindrical knobs, grip the floor steadily.
- ◆ Easy to clean with mop
- ◆ Connectors available to cover long/broad walkways.



Cleaning : wash and dry, vacuum or mop



Code	Size		Colour	Type	Weight	
	Centimetres	Inches			Kgs	Lbs
M 031 A BK S	125 x 100 x 1.7	49 x 39 x 5/8	BLACK	NR	17.50	38.50

# CHAIR MATS

Hard Floor Protector



## FEATURES

- ◆ Excellent stress reliever for long-seated executives
- ◆ Eliminates entanglement of carpet thread from revolving chairs and protects carpets.
- ◆ Easy movement of chair in hard/wooden flooring whilst protecting floor.
- ◆ Petite Keyhole for computer savvies, typists, secretaries and larger Executive mat for dynamic executives.
- ◆ Choice of shades to match your corporate colours.



Available except in UK.

Cleaning : vacuum, shake, mop



Mat	Code	Size		Type	Weight	
		Centimetres	Inches		Kgs	Lbs
KEYHOLE	M 040 A BK S	137 x 76 x 0.5	54 x 30 x 1/5	NR	6.20	13.6
EXECUTIVE	M 024 A BK S	145 x 114 x 0.5	57 x 45 x 1/5	NR	8.40	18.5

# SOLID TOP GYM


Solid gym - mate

## FEATURES

- ◆ Especially formulated cushiony effect bears the impact of body movement and heavy gym equipment.
- ◆ Ideal as an aerobics flooring
- ◆ Energizes and brings back athlete's vitality.
- ◆ Durable solid rubber design to absorb shock and noise of heavy gym equipment.
- ◆ Easily installed will not pull apart while in use but can be easily unlocked as needed
- ◆ Add colour and life to your gymnasium.



Cleaning : vacuum, brush or mop



Code	Size		Colour	Type	Weight	
	Centimetres	Inches			Kgs	Lbs
M 057 A BK CG	91 x 91 x 1.7	36 x 36 x 5/8	BLACK	NR	10.00	22.0
M 057 A GY CG	91 x 91 x 1.7	36 x 36 x 5/8	GREY	25% NBR	10.20	22.4
M 057 A GR CG	91 x 1 x 1.7	36 x 36 x 5/8	GREEN	NR	10.60	23.4
M 057 A FW CG	91 x 91 x 1.7	36 x 36 x 5/8	FAWN	100% NBR	10.40	22.9
M 057 A RD CG	91 x 91 x 1.7	36 x 36 x 5/8	RED	80% NBR	10.80	23.8
M 073 A BK	Connection Strips		BLACK	NR	1.40	3.10
	Ramps Female		BLACK, RED			
	Male 17mm		YELLOW			

# LINK MAT


Quick Easy Linker

## FEATURES

- ◆ Modular square and light weight to link up area in minutes.
- ◆ Moulded hidden interlocking system can be made to 90 degree turn.
- ◆ Effectively reduces fatigue from long standing and increases efficiency in your kitchen.
- ◆ Spilt liquid drainage leaves dry and safe surface.
- ◆ Protects dropped utensils and tools
- ◆ Unique ramping.



Cleaning : wash and dry



Code	Size		Colour	Type	Weight	
	Centimetres	Inches			Kgs	Lbs
M 042 A BK CH	91 x 91 x 1.3	36 x 36 x ½	BLACK	NR	6.50	14.30
M 042 C RD CG	91 x 91 x 1.3	36 x 36 x ½	RED	25% NBR	7.00	15.40
M 043 A BK CG	91 x 91 x 1.5	36 x 36 x 5/8	BLACK	NR	8.60	18.90
M 043 C RD CH	91 x 91 x 1.5	36 x 36 x 5/8	RED	25% NBR	8.90	19.60
	Ramps Female / Male 1.3 or ½		BLACK , RED YELLOW	NR	1.00 / 1.10	2.20 / 2.40
	Ramps Male / Female 1.5 or 3/8		BLACK , RED YELLOW	NR	1.00 / 1.10	2.20 / 2.40

Available in 50%, 80% & 100% NBR for industrial applications



# LINK HEAVY DUTY MAT

Tough, adaptable linker

## FEATURES

- ◆ Modular square and rectangular sizes to link up areas in minutes.
- ◆ Reduces fatigue effectively and improves productivity in your kitchen.
- ◆ Grease Resistant Black & Red for oil/greasy kitchen applications.
- ◆ Reduces glass breakage.
- ◆ Spilt liquid drainage leaves dry and safe surface.
- ◆ Connection facility available to make 90 degree turn.
- ◆ Protects dropped utensils and tools.
- ◆ Moulded hidden interlocking system.
- ◆ Standard Black recommended for non - greasy areas & Red NBR blends for greasy areas.



Cleaning: wash and dry



Code	Size		Colour	Type	Weight	
	Centimetres	Inches			Kgs	Lbs
M 045 A BK CG	91 x 91 x 1.9	36 x 36 x 7/8	BLACK	NR	9.50	21.00
M 045 C RD CH	91 x 91 x 1.9	36 x 36 x 7/8	RED	25% NBR	10.20	22.40
M 089 A BK CG	91 x 122 x 1.9	36 x 48 x 7/8	BLACK	NR	12.00	26.40
M 089 C RD CG	91 x 122 x 1.9	36 x 48 x 7/8	RED	25% NBR	12.50	27.50
M 064 A BK CG	91 x 152 x 1.9	36 x 60 x 7/8	BLACK	NR	16.00	35.20
M 064 C RD CG	91 x 152 x 1.9	36 x 60 x 7/8	RED	25% NBR	17.00	37.40
M 065 C RD CH	91 x 180 x 1.9	36 x 72 x 7/8	RED	25% NBR	19.00	41.80
M 065 A BK CH	91 x 180 x 1.9	36 x 72 x 7/8	BLACK	NR	20.00	44.00
A 073 A BK	Connection strip		BLACK	NR	0.07	0.15
	Ramps Female / Male		BLACK / RED	NR	1.00 / 1.20	2.0 / 2.64
			YELLOW			

Available in 50%, 80% & 100% NBR for industrial applications

# METRIC HEAVY DUTY MAT



Impressive Performer

## FEATURES

- ◆ Sophisticated raised rim design provides comfort superior traction and fatigue relief
- ◆ Eases the strain of long standing
- ◆ Drainage hole to drain liquid & spill and keep surface dry.
- ◆ Thick rubber mass protects dropped utensils and tools.



Cleaning : wash and dry



Code	Size		Colour	Type	Weight	
	Centimetres	Inches			Kgs	Lbs
M 041 A BK S	148 x 99 x 2.2	58.5 x 39 x 7/8	BLACK	NR	17.60	38.7
M 041 C RD S	148 x 99 x 2.2	58.5 x 39 x 7/8	RED	25% NBR	18.30	40.3

Available in 50%, 80% & 100% NBR for industrial applications

# VIP TOPDECK


Slender comforter

## FEATURES

- ◆ Slender mat provides comfort and reduces fatigue.
- ◆ Grease Resistant Black & Red for oil/greasy kitchen applications
- ◆ Raised surface edges provide safe footing and slip resistance
- ◆ Safety bevel for smooth traffic and easy cart access.
- ◆ Cleaning is a breeze due to Light weight.
- ◆ Connectors for non-bevels to cover large areas.
- ◆ Moulded Ramping and separate ramps for non-bevelled Mats for safety
- ◆ Standard Black recommended for non - greasy areas & Red NBR blends for greasy areas



Cleaning : wash and dry



Code	Size		Colour	Type	Weight	
	Centimetres	Inches			Kgs	Lbs
M 066 A BK NB	86 x 145 x 1.3	34 x 57 x ½	BLACK	NR	9.50	20.90
M 066 C RD NB	86 x 145 x 1.3	34 x 57 x ½	RED	25% NBR	9.80	21.60
M 066 C RD B	89 x 152 x 1.3	35 x 60 x ½	RED	25% NBR	10.40	23.00
M 066 A BK B	89 x 152 x 1.3	35 x 60 x ½	BLACK	NR	10.00	22.00
A 078 A BK	Connectors		BLACK	NR	0.02	0.04
	Ramps 2' & 3'		BLACK / RED	NR	0.25 / 0.75	0.55 / 1.65

Available in 50%, 80% & 100% NBR for industrial applications

# COMFORTLOK


Your comfort-mate

## FEATURES

- ◆ Extremely comfortable due to matrix design with buoyant air pockets for added fatigue relief and good grip.
- ◆ Enhances worker productivity
- ◆ Diamond checkered plate design specially engineered for excellent grip.
- ◆ Jig-saw puzzle ends and centres to create long runners.
- ◆ Will not zip apart while in use but can easily be unlocked as needed
- ◆ Triangular pieces to make semi-circles or 45 degrees circles.
- ◆ Colours to give visibility and safety.



Cleaning : wash and dry or mop



Corner Piece



Single Centre End






Code	Size		Colour	Type	Weight	
	Centimetres	Inches			Kgs	Lbs
M 005 A BK S	71 x 79 x 1.3	28 x 31 x ½	BLACK	NR	5.00	11.0
M 005 C RD S	71 x 79 x 1.3	28 x 31 x ½	RED	25% NBR	5.20	11.4
M 005 A YB CA	71 x 79 x 1.3	28 x 31 x ½	YELLOW BORDER	NR	5.00	11.0
M 005 F BK CF	71 x 79 x 1.3	28 x 31 x ½	BLACK	100% NBR	5.40	11.8
M 005 H RD CF	71 x 79 x 1.3	28 x 31 x ½	RED	80% NBR	5.30	11.6
M 006 A BK S	54 x 70x 1.3	21 x 28 x ½	BLACK	NR	1.40	3.10

# DOME MAT

Healthy, work, stimulator

## FEATURES

- ◆ Densely textured surface guards against slips and injuries
- ◆ Excellent comfort and fatigue relief from long standing
- ◆ Reduces stress on spinal column and joints.
- ◆ Bubble surface stimulates blood circulation
- ◆ Rolls quickly for easy cleaning.
- ◆ Larger mat comes in singles, ends and centers.
- ◆ Protects floors and dropped utensils and tools.
- ◆ Border Colours in Yellow, Green and Orange to give visibility and safety.



Code	Size		Colour	Type	Weight	
	Centimetres	Inches			Kgs	Lbs
M 022 A BK S	91 x 61 x 1.3	36 x 24 x ½	BLACK	NR	4.50	10.00
M 022 C RD S	91 x 61 x 1.3	36 x 24 x ½	RED	25% NBR	4.60	10.10
M 022 H BK S	91 x 61 x 1.3	36 x 24 x ½	BLACK	80% NBR	4.80	10.60
M 022 A YB S	91 x 61 x 1.3	36 x 24 x ½	YELLOW BORDER	NR	4.50	10.00
M 023 A BK S	91 x 121 x 1.3	36 x 48 x ½	BLACK	NR	8.40	18.50
M 023 C RD CF	91 x 121 x 1.3	36 x 48 x ½	RED	NR 25% NBR	8.60	18.90
M 023 H BK CA	91 x 121 x 1.3	36 x 48 x ½	BLACK	80% NBR	8.60	18.90
M 023 A YB S	91 x 121 x 1.3	36 x 48 x ½	YELLOW BORDER	NR	8.40	18.50

# SAFEWORK MAT


Slender, lite connector

## FEATURES

- ◆ Eleven executions for all purpose versatility.
- ◆ Do-it-yourself: roll, carry, assemble with no accessories.
- ◆ Slip resistance top surface provides effective fatigue relief.
- ◆ Unique rear design ensures an extra safe grip.



Cleaning : wash and dry



Code	Size		Colour	Type	Weight	
	Centimetres	Inches			Kgs	Lbs
M 055 A BK B	91 x 152 x 1.3	36 x 60 x ½	BLACK	NR	10.00	22.00
M 055 C BK B	91 x 152 x 1.3	36 x 60 x ½	BLACK	25% NBR	10.00	22.00
M 055 A RD B	91 x 152 x 1.3	36 x 60 x ½	RED	NR	10.50	23.10
M 055 C RD B	91 x 152 x 1.3	36 x 60 x ½	RED	25% NBR	10.50	23.10
M 056 F BK S	91 x 152 x 1.3	36 x 60 x ½	BLACK	NR	10.50	23.10

# WORKRITE MAT

Efficiency Improver


## FEATURES

- ◆ Relieves fatigue and increases worker comfort and productivity.
- ◆ Drainage holes to drain liquid and spills to keep employees feet dry
- ◆ Suction raised end design underneath provides better grip.
- ◆ The clean cylindrical holes both large and small, allow no place for collection of residual and bacteria growth.
- ◆ Built in bevels
- ◆ Rolls up easily for removal and clean up



Available except in North America

Cleaning : wash and dry



Code	Size		Colour	Type	Weight	
	Centimetres	Inches			Kgs	Lbs
M 067 A BK S	91 x 152 x 1.3	36 x 60 x ½	BLACK	NR	10.00	22.00
M 067 C BK S	91 x 152 x 1.3	36 x 60 x ½	BLACK	25% NBR	11.00	24.00
M 067 B BK S	91 x 152 x 1.3	36 x 60 x ½	BLACK	50% NBR	11.00	24.20
M 067 B RD S	91 x 152 x 1.3	36 x 60 x ½	RED	50% NBR	11.30	25.00
M 067 B GY S	91 x 152 x 1.3	36 x 60 x ½	GREY	50% NBR	11.50	25.00

# WORKSAFE HEAVY DUTY MAT

Superior Fatigue reliever

## FEATURES

- ◆ Maximizes worker comfort and improves productivity.
- ◆ Suction raised knob design underneath provides better grip.
- ◆ Drainage holes to drain liquids and do not trap debris.
- ◆ Resilient surface reduces breakages.
- ◆ Heavy weight assures non-shifting and excellent performance in heavy duty application.
- ◆ The clean cylindrical holes allows no place for collection of residual and bacteria growth.
- ◆ Larger mat available in Ends, centers and singles.



Available except in North America

Cleaning :wash and dry



Code	Size		Colour	Type	Weight	
	Centimetres	Inches			Kgs	Lbs
M 071 A BK NB	91 x 152 x 2.2	36 x 60 x 7/8	BLACK	NR	15.90	35.00
M 071 B BK CB	91 x 152 x 22	36 x 60 x 7/8	BLACK	50% NBR	16.00	35.20
M 071 H BK CM	91 x 152 x 22	36 x 60 x 7/8	BLACK	80% NBR	16.30	35.80
M 071 A RD CB	91 x 152 x 22	36 x 60 x 7/8	RED	NR	17.00	37.40
M 071 B RD CM	91 x 152 x 22	36 x 60 x 7/8	RED	80% NBR	17.10	37.60
M 070 A BK NB	91 x 120 x 2.2	36 x 48 x 7/8	BLACK	NR	14.10	31.00




# WORKSAFE MODULAR

Trendy foot-mate

## FEATURES

- ◆ Rounded edges for safety and cushioning foot support for increased efficiency.
- ◆ Well engineered drainage holes prevent labouring germs and bacteria.
- ◆ Raised ribs on top greatly reduces the chance of slips and falls.
- ◆ Moulded hidden interlocking system.
- ◆ Ideal for areas that require regular maintenance.
- ◆ Moulded bevel eliminates the need for ramping accessories.



Available except in North America

Cleaning : wash and dry




Code	Size		Colour	Type	Weight	
	Centimetres	Inches			Kgs	Lbs
M 069 A BK CG	91 x 91 x 1.3	36 x 36 x ½	BLACK	NR	6.60	14.50
M 069 B BK CG	91 x 91 x 1.3	36 x 36 x ½	BLACK	50% NBR	7.10	15.60
M 069 H BK CG	91 x 91 x 1.3	36 x 36 x ½	BLACK	80% NBR	7.10	15.60
M 069 B RD CG	91 x 91 x 1.3	36 x 36 x ½	RED	50% NBR	7.50	16.50

# SOLID TOP

Cushion foot relaxer

## FEATURES

- ◆ Comfortable and excellent fatigue relief from long standing helps multiply worker productivity.
- ◆ Unique back design specially engineered to give cushion effect and no-trip safety.
- ◆ Hidden interlocking inbuilt connections for coverage of any size and shape
- ◆ Bouncing effect reduces breakage of glass.
- ◆ Connectable No-trip beveled safety edges.
- ◆ Embossed, surface adds elegance to your workplace.



Cleaning : wash and dry



Code	Size		Colour	Type	Weight	
	Centimetres	Inches			Kgs	Lbs
M 057 A BK CG	91 x 91 x 1.7	36 x 36 x 5/8	Black	NR	9.50	20.90
M 057 F BK CG	91 x 91 x 1.7	36 x 36 x 5/8	Black	100% NBR	9.80	21.60
M 057 C RD CH	91 x 91 x 1.7	36 x 36 x 5/8	Red	25% NBR	10.00	22.00
M 057 B RD CG	91 x 91 x 1.7	36 x 36 x 5/8	Red	50% NBR	10.10	22.20
M 073 A BK	Connection Strips		Black	NR	0.07	0.15
	Ramps Female/ Male 1.70		Black, Red, Yellow	NR	1.00 / 1.20	2.20 / 2.60

# DIAMOND MODULAR

Comfortable, work supporter


## FEATURES

- ◆ Comfort and fatigue relief from long standing improves worker efficiency.
- ◆ Rounded edge, checker plate surface design for good grip.
- ◆ Hidden interlocking connections to provide coverage of any desired length.
- ◆ Easy to clean due to smooth tile effect surface.



Available except in North America

Cleaning : vacuum, wash, mop



Code	Size		Colour	Type	Weight	
	Centimetres	Inches			Kgs	Lbs
M 020 A BK CG	91 x 91 x 1.17	36 x 36 x ½	BLACK	NR	8.95	19.7
M 020 B BK CG	91 x 91 x 1.17	36 x 36 x ½	BLACK	50% NBR	9.00	19.8
M 020 H BK CG	91 x 91 x 1.17	36 x 36 x ½	BLACK	80% NBR	9.20	20.2
M 020 C RD CG	91 x 91 x 1.17	36 x 36 x ½	RED	25% NBR	9.25	20.4

# SCRAPPER MAT

Ideal dirt scrapper

## FEATURES

- ◆ Specially designed surface to ensure removal of dirt from shoe / boot soles.
- ◆ Small evenly spread back knob design increases grip, while beveled edge ensures safety.
- ◆ End, Center mats available to connect larger area or to glue for rolls.
- ◆ Light weight facilitates easy installation
- ◆ Drainage holes/open slots for outdoor usage or where light drainage is needed



Available except in North America

Cleaning : wash & dry / 100% NBR  
machine washable, air dry



Code	Size		Colour	Type	Weight	
	Centimetres	Inches			Kgs	Lbs
M 056 A BK S	91 x 152 x 0.6	36 x 60 x 1/5	BLACK	100% NBR	10.00	22.00
M 056 F BK S	91 x 152 x 0.6	36 x 60 x 1/5	BLACK	100% NBR	6.00	13.20

# BOOT DIP MAT

Hygienic Boot Sanitizer

## FEATURES

- ◆ Hundreds of bristles encourage boot cleaning whilst trapping dirt.
- ◆ Raised walls to hold anti-germ detergent or any liquid for hygienic cleaning.
- ◆ Yellow, green and orange edges for high visibility.
- ◆ Cross grip rear design firmly holds the mat to the floor.
- ◆ 100% EPDM all yellow anti-microbial mat for special purposes.



Cleaning : hose wash and dry



Code	Size		Colour	Type	Weight	
	Centimetres	Inches			Kgs	Lbs
M 001 A BK S	98 x 81 x 4.69	39 x 32 x 2 ½	Black	NR	12.20	26.80
M 001 A YB S	98 x 81 x 4.69	39 x 32 x 2 ½	Yellow border	NR	12.20	26.80

# STEP MAT

Steady Stepper

## FEATURES


- ◆ Checkered plate design promises sure step traction and secures footing.
- ◆ Ease of installation with double sided tape.
- ◆ Can be used on any type of floor texture.
- ◆ Colours to choose from.



Cleaning : vacuum, mop



Code	Size		Colour	Type	Weight	
	Centimetres	Inches			Kgs	Lbs
M 061 A BK S	76 x 24.5 x 0.6	30 x 10 x 1/5	BLACK	NR	1.30	2.90
M 061 A GY S	76 x 24.5 x 0.6	30 x 10 x 1/5	GREY	NR	1.40	3.00
M 061 A YB S	76 x 24.5 x 0.6	30 x 10 x 1/5	YELLOW	NR	1.40	3.00
M 061 A BR S	76 x 24.5 x 0.6	30 x 10 x 1/5	BROWN	NR	1.40	3.00



# STABLE MAT


Animal care-taker

## FEATURES

- ◆ Comfortable flooring for animals to stand and lie down.
- ◆ Thick rubber mass provides comfort and fatigue-relief.
- ◆ Creates dust-free environment.
- ◆ Grooved bottom for effective drainage
- ◆ High density of mats prevents bacteria and germs
- ◆ Insulation against cold/dampness provides warmth and comfort for animals during winter.



Cleaning : Hose, wash, Drain water and dry



### 'V' Design

	Size		Colour	Type	Weight	
	Centimetres	Inches			Kgs	Lbs
M 059 A BKS 140	140 x 100 x 1.7	55 x 40 x 5/8	BLACK	NR	33.50	73.70
M 059 A BKS 175	175 x 100 x 1.7	69 x 40 x 5/8	BLACK	NR	36.00	79.20
M 059 A BKS 200	200 x 100 x 1.7	80 x 40 x 5/8	BLACK	NR	42.00	92.40
M 060 A BKS 150	150 x 110 x 1.7	59 x 44 x 5/8	BLACK	NR	34.00	75.90
M 060 A BKS 175	175 x 110 x 1.7	69 x 44 x 5/8	BLACK	NR	37.00	81.40
M 060 A BKS 200	200 x 110 x 1.7	80 x 44 x 5/8	BLACK	NR	45.00	99.00

### Wide Rib Design


Code	Size		Colour	Type	Weight	
	Centimetres	Inches			Kgs	Lbs
M 058 A BKS 140	140 x 100 x 1.7	55 x 40 x 5/8	BLACK	NR	33.00	82.50
M 058 A BKS 180	180 x 100 x 1.7	72 x 40 x 5/8	BLACK	NR	39.00	85.80
M 058 A BKS 200	200 x 100 x 1.7	80 x 40 x 5/8	BLACK	NR	42.00	92.40

# CHANNEL MAT

Farm animal Partner

## FEATURES

- ◆ Comfortable fatigue reliever for animals
- ◆ Creates dirt free environment in stables
- ◆ Inbuilt grooves for drainage leaving clean and dry surface
- ◆ Keeps animals warm during winter.



Available except in U.K.

Cleaning : Hose, wash, Drain water and dry



Code	Size		Colour	Type	Weight	
	Centimetres	Inches			Kgs	Lbs
M 007 A BK S	91 x 181 x 0.9	36 x 72 x ½	BLACK	NR	19.00	42.00
M 008 A BK S	91 x 181x 1.2	36 x 72 x ½	BLACK	NR	27.00	59.40



# TRAILER MAT

Happy, safe mover

## FEATURES

- ◆ Relief and comfort during transportation
- ◆ Wide rib provides additional grip for safe traveling.
- ◆ Good wear resistance
- ◆ Grooved top and underside for drainage



Cleaning : Wash, Drain water and dry



Code	Size		Colour	Type	Weight	
	Centimetres	Inches			Kgs	Lbs
M 063 A BKS 150	150 x 120 x 0.95	59 x 47 x 3/8	BLACK	NR	21.20	46.60
M 063 A BKS 200	200 x 120 x 0.95	79 x 39 x 3/8	BLACK	NR	29.20	64.20

# FIRE RESISTANT MAT

## FEATURES

- ◆ Ideal for fire hazardous areas, as the mat is inherent with a combination of properties for resisting fire.
- ◆ Does not emit chlorine or chlorinated compounds, such as hydrochloric acid fumes, sulfur monochloride and chlorine etc.
- ◆ Very low smoke emission.
- ◆ Excellent resistance to general weathering conditions and has inherent ageing resistance.
- ◆ Very good load bearing characteristics.
- ◆ Good wear and tear properties coupled with strength for more durability.
- ◆ Tested by Vienna, Austria and Classification according to EN 13501 - 1 ( Bf1 - s1 )
- ◆ Recommended for use in public places.




D mat, K mat, Worksafe Heavy Duty, Metric Heavy Duty, types can be offered in Fire Resistant quality.



### Non-Fire Resistant Mat sample



Subjected to burner flame for 40 seconds.



Sample position soon after the burner is removed



Mat burns with bright flave and fire propagation visible with heavy smoke

### Fire - Resistant Mat sample



Subjected to burner flame for 40 seconds.



Sample position soon after the burner is removed.



Sample does not propagate fire, slight smoke.



Mat	Code	Size		Colour	Type	Weight	
		Centimetres	Inches			Kgs	Lbs
K Octagonal	M 036 K BK S	150 x 100 x 2.30	59 x 39 x 7/8	BLACK	BLEND	23.00	51.00

Cleaning : wash and dry

# ELECTRO-STATIC DISCHARGE MAT (ESD)

## FEATURES

- ◆ Prevents the accumulation of static electricity by instantaneously draining the electro-static charges from workers.
- ◆ Specially designed to prevent dangerous sparks in volatile work environments.
- ◆ The resilient and load bearing characteristics of the mat offers excellent anti-fatigue features to the standing worker.
- ◆ for maximum effectiveness, grounding is recommended and keep both surfaces free of dirt.
- ◆ Electrical resistivity range  $1 \times 10^3 - 1 \times 10^6$  Ohms.
- ◆ Every 8' should be grounded.



Cleaning : brush.



Plain, Sheet, Solid top, Diamond and Comfortlok mats can be offered in Electro-static Discharge quality.



Mat	Code	Size		Colour	Type	Weight	
		Centimetres	Inches			Kgs	Lbs
Diamond Modular	M 020 L BK CG	91 x 91	36 x 36	BLACK	BLEND	13.00	19.70

# STATIC DISSIPATIVE MAT

## FEATURES

- ◆ Specially designed to protect very sensitive electrical equipment from the effect of static discharge.
- ◆ Drains off static charges that are built up in workers before these charges disrupt and damage sensitive equipments.
- ◆ An ideal combination of technological and anti-fatigue features.
- ◆ Recommended every 8' distance should be grounding for best use.



Available in Solid top, Diamond, Comfortlok design with solid plain back design.



Mat	Code	Size		Colour	Type	Weight	
		Centimetres	Inches			Kgs	Lbs
Plain sheet	M 052 M BK S	108 x 78	43 x 31	BLACK	BLEND	6.00	13.20

Cleaning : brush

# WELDING MAT

## FEATURES

- ◆ Specially designed to resist welding flux and grinding sparks of 1300 to 1500 centigrade for less than 3 seconds.
- ◆ Excellent durability and highly resistant surface for load bearing characteristics.
- ◆ Can be used in both greasy / dry environments.
- ◆ Reduces fatigue during prolonged standing.
- ◆ Available with designs for non-slip surfaces.



Dome, Solid Top and Diamond designs can be offered in this quality.



Mat	Code	Size		Colour	Type	Weight	
		Centimetres	Inches			Kgs	Lbs
Comfortlok	M 005 T BK S	71 x 79	28 x 31	BLACK	BLEND	5.00	11.00

Cleaning :Wash & Dry

# CUTTING FLUID RESISTANT MAT


## FEATURES

- ◆ Specially designed Nitrile rubber compound which does not break or swell when in contact with cutting fluids, petroleum based fluids, animal / vegetable fatty acids, lubricants and thermal fluids.
- ◆ Excellent performance in heavy duty applications.
- ◆ Safety anti-slip surface.
- ◆ Resistant to compression set under repeated loading.
- ◆ Drainage solids and liquids fall through leaving, clean and dry surface.
- ◆ Specially designed to resist swelling when exposed to water / solvent based cutting fluids.



Link Heavy Duty, Metric Heavy Duty, Solid Top and VIP Topdec designs can be offered in this quality.

Available except in UK.



Mat	Code	Size		Colour	Type	Weight	
		Centimetres	Inches			Kgs	Lbs
Link	M 045 R BK CG	91 x 91	36 x 36	BLACK	BLEND	09.50	21.00
Link	M 045 R RD CG	91 x 91	36 x 36	BLACK	BLEND	10.00	22.00

# MARBLEIZED & PLAIN SHEETING

## FEATURES

### Marbleized

- ◆ Washable and easy to maintain
- ◆ White on any Colour to blend well with environment, projecting marbleized effect
- ◆ Durable Natural and Synthetic Rubber formulations with scratch resistant properties
- ◆ Anti-fatigue sheeting with reduced noise even in heavy traffic areas
- ◆ Can be glued to Foam backing for extra comfort for foot and lower back
- ◆ Special heat resistant formula for heat cured foam backing



### Plain Sheeting

- ◆ Plain colours to suit application
- ◆ NR/SBR Sheeting for good mechanical properties
- ◆ PVC/Nitrile Sheeting for excellent oil swelling properties
- ◆ EPDM Sheeting for excellent weather resistant properties
- ◆ Nitrile Sheeting for O-rings & Gaskets
- ◆ Butyl Rubber for sealing applications



Cleaning : Mop




Thickness : 3 mm or above, as required. Length 10 to 20 meter rolls.

Code	Size	Colour	Type
M 087 A BK S	3mm or above	Refer to colour Palette	Blend

# EPDM SHEETS

## FEATURES

- Excellent resistance to:
  - oxygen containing aging pro oxidant
  - weathering due to oxygen, heat, UV, and Microbes.
- Outstanding resistance to Ultra-Violet and other irradiations
- Good resistance to:
  - Elevated temperature even up to 350 °C [662F]for limited exposure and resistance to temperature up to 80 °C [176F]in continuous basis.
  - chemicals and offers special resistant to Chlorine containing detergents chemicals, Oxygen containing chemicals
  - hydrolysis due to water or any aqueous chemical media
- Excellent electrical insulating properties
- EPDM Insulation sheeting Recommend for most of Industrial washers & Insulation applications and EPDM roofing Membrane for roofing & construction



Thickness 1mm – 5mm length 10 to 20 meter Rolls




CODE	Size	Colour	Texture	Type
RTEPDMRF1BLK	1.4m x 10m x 1mm	Black	Fine Fabric impression	EPDM –Roofing
RTEPDM100BLK	1m x 10m x 1mm	Black	Fine Fabric impression	EPDM - Insulation



# GRIT MAT

## FEATURES

- ◆ Specially designed surface of mat built with a coating of silicon carbide grit which facilitates extra slip resistance.
- ◆ Provides excellent traction and avoids the danger of slipping.
- ◆ Surface covered with grit will drain liquids leaving mat dry.
- ◆ Resistance to wear and tear of heavy duty applications.
- ◆ Specially designed step mats available with gritted strips for extra grip.
- ◆ Flex-cure adhesive prevents cracking & shedding of grit when flexed.



Link, Comfortlok, Scrapper, Solid Top and Stair designs can be offered in this quality.

Mat	Code	Size		Colour	Type	Weight	
		Centimetres	Inches			Kgs	Lbs
Solid Top	M 057 S BK CG	91 x 91	36 x 36	BLACK	BLEND	10.80	23.80

MAT TYPE	COLOUR	DENSITY	HARDNESS	TENSILE	ELONGATION	WORKING	TEAR	ABRASION	RESISTANCE	OIL RESISTANCE			DETERGENT	COMPRESSION	WATER	ALKALI	OZONE	ALCOHOL	ESTER
		(g/cm <sup>3</sup> )	(SHORE A°)	STRENGTH	AT BREAK%	TEMPERATURE	STRENGTH	(mm <sup>3</sup> )	TO WATER	ASTM 471)	RESISTANCE	RESISTANCE							
STANDARDS		ASTM 1298	ASTM 2240	ASTM 412	ASTM 412	(°C)	ASTM 624	DIN 53516		COOKING	CUTTING	SOLVENTS							
										OIL	FLUIDS								
<b>100% Polymer</b>																			
100% NR	Black	1.28	50-55	5.99	512	-40+70	51.85	181	■	●	●	●	■	■	■	■	■	■	■
100% NR	Fawn, Green, Blue	1.50	55-60	6.55	523	-40+70	39.56	201	■	●	●	●	■	■	■	■	■	■	■
Boot Dip Mat	Black, Yellow Border	1.27	55-60	8.12	482	-40+70	57.22	182	■	●	●	●	■	■	■	■	■	■	■
NR sports Mat	Black	1.28	50-55	5.99	512	-40+70	51.85	181	■	●	●	●	■	■	■	■	■	■	■
NR sports Mat	Colour	1.48	55-60	5.50	600		40.90	195	■	●	●	●	■	■	■	■	■	■	■
100% NBR	Black	1.54	55-60	6.85	595	-50+100	47.89	236	■	■	■	■	■	■	■	■	■	■	■
100% NBR	Red, Green, Grey, Yellow	1.55	55-60	6.80	600	-50+100	49.50	205	■	■	■	■	■	■	■	■	■	■	■
<b>Polymer Blends</b>																			
75%NR:25%NBR	Black	1.42	50-55	5.01	465	-50+70	44.60	245	■	★	★	●	■	■	■	■	■	■	■
75%NR:25%NBR	Red	1.42	50-55	6.15	422	-40+70	42.56	250	■	★	★	●	■	■	■	■	■	■	■
50%NR:50%NBR	Black	1.58	50-55	4.01	352	-40+85	31.94	265	■	■	■	★	■	■	■	■	■	■	■
50%NR:50%NBR	Red	1.43	50-55	4.25	477	-40+85	32.00	308	■	■	■	★	■	■	■	■	■	■	■
20%NR:80%NBR	Black	1.58	55-60	5.75	435	-40+90	40.53	185	■	■	■	■	■	■	■	■	■	■	■
60%NR:40%NBR	Red	1.56	60-65	5.65	498.5	-40+85	39.80	205.5	■	■	★	★	■	■	■	■	■	■	■
<b>Specialty Mats</b>																			
100%NBR (Special Industry)	Black	1.50	50-55	6.25	525	-30+100	45.25	205	■	■	■	■	■	★	■	■	■	■	■
75%NBR (Special Industry)	Black	1.49	50-55	5.65	500	-30+85	43.12	215	■	■	■	■	■	■	■	■	■	■	■
Fingertip Mat	Black	1.28	50-55	9.45	424	-40+70	68.83	125	■	●	●	●	■	■	■	■	■	■	■
Stable/Trailer/Channel	Black	1.49	60-63	8.92	450	-40+70	55.63	109	■	●	●	★	■	■	■	■	■	■	■
Stable/Trailer/Channel	Green	1.43	55-60	6.25	380	-40+70	48.53	115	■	●	●	★	■	■	■	■	■	■	■
Step Mat	Black	1.30	80-85	10.41	305	-40+70	81.41	108	■	●	●	●	■	■	■	■	■	■	■
Step Mat	Grey, Brown, Yellow	1.44	68-76	12.52	525	-40+70	83.80	114	■	●	●	●	■	■	■	■	■	■	■
Fire Resistant Mat	Black	1.56	55-60	8.88	400	-40+70	59.85	300	■	★	★	★	■	■	■	■	■	■	■
Electro-Static Discharge Mat	Black	1.33	60-65	11.50	315	-40+70	89.18	205	■	●	●	●	■	■	■	■	■	■	■
Static Dissipative Mats	Black	1.40	60-65	8.50	400	-40+70	60.25	213	■	●	●	●	■	■	■	■	■	■	■
Static Dissipative Mats	Ocean Blue	1.32	55-60	9.87	740	-30+70	62.67	140	■	■	■	●	■	■	■	■	■	■	■
Insulation Mats	Black	1.49	50-55	5.12	400	-30+70	40.10	260	■	●	●	●	■	■	■	■	■	■	■
Insulation Mats	Green	1.54	55-60	5.48	450	-30+70	32.77	285	■	●	●	●	■	■	■	■	■	■	■
Marbleized Mat	Black/white mix	1.38	75-80	5.95	325	-40+70	52.19	120	■	●	●	●	■	■	■	■	■	■	■
Marbleized Mat	Black/white mix	1.38	75-80	6.25	350	-40+70	50.12	118	■	●	●	●	■	■	■	■	■	■	■
Marbleized Mat	Grey/white mix	1.38	75-80	5.25	350	-40+70	49.12	120	■	●	●	●	■	■	■	■	■	■	■
Marbleized Mat	Fawn/white mix	1.35	75-80	6.01	315	-40+70	50.12	121	■	●	●	●	■	■	■	■	■	■	■
Marbleized Mat	Green/white mix	1.34	75-80	5.95	300	-40+70	50.12	124	■	●	●	●	■	■	■	■	■	■	■
Welding Mat	Black	1.50	55-60	9.20	475	-40+70	52.50	195	■	●	●	●	■	■	■	■	■	■	■
Bath Mat		1.21	45-50	17.00	754	-40+70	63.00	110	■	-	-	-	■	■	■	■	■	■	■
Plain Sheeting	Black	1.43	75-80	7.93	200	-40+80	73.60	115	■	★	★	●	■	■	■	■	■	■	■
Cutting Fluid Resistant Mat	Black	1.58	55-60	5.75	435	-50+100	40.53	185	■	■	■	■	■	★	■	■	■	■	■
Cutting Fluid Resistant Mat	Black	1.55	55-60	6.80	600	-50+100	49.50	205	■	■	■	■	■	★	■	■	■	■	■

Rating	Excellent	Good	Moderate	Not recommended
Symbols	■	●	★	●

MAT CODE	DESIGN	MAT SIZE		QUANTITY PER PALLET	20'		40'		
		CENTIMETERS	INCHES		NO OF CRATES	NO OF MATS PALLETIZED	NO OF CRATES	NO OF MATS PALLETIZED	
<b>ENTRANCE AND GENERAL PURPOSE MATS</b>									
M 025 A BKS	FINGERTIP	61cmx81cmx14mm	24x32x1/2	100	22	2200	30	3000	
M 026 A BKS	FINGERTIP	81cmX99cmX14mm	32x29x1/2	60	28	1680	44	2640	
M 084 A BKS	FINGERTIP	71cmx117cmx14mm	28x26x1/2	60	20	1200	34	2040	
M 085 A BKS	FINGERTIP	91cmX152cmX14mm	36X60X1/2	60	14	840	24	1440	
M 027 A BKS	FINGERTIP	91cmX182cmX14mm	36X72X1/2	60	12	720	23	1380	
M 032 A BKS	HONEYCOMB	60cmx40cmx23mm	24x16x7/8	300	18	5400	36	10800	
M 033 A BKS	HONEYCOMB	57cmx38cmx23mm	22x15x7/8	300	18	5400	36	10800	
M 088 A BKS	HONEYCOMB	80cmx50cmx23mm	31x20x7/8	180	14	2520	28	5040	
M 062 A BKS	SQUARE MAT	60cmx42cmx8mm	24X17X3/8	560	22	12320	37	20720	
M 054 A BKS	RIALTO MAT	70cmx40cmx12mm	28x16x1/2	300	22	6600	36	10800	
M 072 A BKS	ZENITH MAT	60cmx40cmx17mm	24x16x5/8	350	22	7700	40	14000	
M 004 A BKS	CLEANGRID MAT	50cmx35cmx15mm	20x14x5/8	400	20	8000	31	12400	
M 021 A BKS	DIAMOND MAT	58cmx33cmx12mm	23x13x1/2	300	18	5400	31	9300	
M 037 A BKS	K OCTAGONAL	60cmX40cmx23mm	23x15x7/8	300	18	5400	36	10800	
M 017 A BKS	D HONEYCOMB	59cmx39cmx16mm	23x15x5/8	300	18	5400	36	10800	
M 016 A BKS	D HONEYCOMB	59cmx39cmx23mm	23X 15X7/8	300	18	5400	36	10800	
WHI A BKS	HIRU	75cmx45cmx15mm	30x18x5/8	300	14	4200	24	7200	
WSA A BKS	SAMAN	75cmx45cmx15mm	30x18x5/8	300	14	4200	24	7200	
WKE A BKS	KETHA	75cmx45cmX13mm	30x18x5/8	300	14	4200	24	7200	
WNE A BKS	NELUM	75cmx45cmx15mm	30x18x5/8	300	14	4200	24	7200	
WLA A BKS	LATHA	75cmx45cmx12mm	30x18x5/8	320	14	4480	24	7680	
WHA A BKS	HANSA	75cmx25cmx1mm	30x10	1600	14	22400	24	38400	
WAR R BKS	ARUNA	75cmx45cmx15mm	30x18x5/8	300	14	4200	24	7200	
WVI R BKS	VISHWA	75cmx45cmx15mm	30x18x5/8	300	14	4200	24	7200	
M 046A BK S	MAT TRAY	76cmx43cmx15mm	30x17x5/8	300	14	4200	24	7200	
M 028 A BKS	FLUTED	76cmx46cmx5mm	30x18x1/5	400	14	5600	27	10800	
M 029 A BKS	FLUTED	91cmX61cmX5mm	36x24x1/5	200	20	4000	31	6200	
M 030 A BKS	FLUTED	91cmX183cmX5mm	36X72X1/5	100	12	1200	22	2200	
M 036 A BKS	K OCTAGONAL	150cmX100cmX23mm	60X40X7/8	45	14	630	30	1350	
M 039 A BKS	K OCTAGONAL	80cmx50cmx22mm	32X20X7/8	180	28	5040	28	5040	
M 012 A BKS	D HONEYCOMB	120cm x80cmx23mm	48x32x7/8	50	22	1100	46	2300	
M 011 A BKS	D HONEYCOMB	120cm x80cmx18mm	48x32x7/8	50	22	1100	44	2200	
M 015 A BKS	D HONEYCOMB	152cmX100cmX23mm	61x40x7/8	50	14	700	28	1400	
<b>KITCHEN &amp; RESTAURANT MATS</b>									
M 042 A BK CG	LINK MAT	91cmx91cmx13mm	36x36x1/2	65	20	1300	48	3120	
M 043 A BK CG	LINK MAT	91cmx91cmx15mm	36x36x1/2	65	20	1300	48	3120	
M 045 A BK CG	LINK HEAVY DUTY	91cmx91cmx19mm	36x60x7/8	50	20	1000	41	2050	
M 089 A BK CG	LINK HEAVY DUTY	91cmx122cmx19mm	36x48x7/8	50	14	700	36	1800	
M 064 A BK CG	LINK HEAVY DUTY	91cmX152cmX19mm	36x60x7/8	50	14	700	27	1350	
M 065 A BK CH	LINK HEAVY DUTY	91cmx180cmx19mm	36x72x7/8	50	12	600	24	1200	
M 066 A BK NB	VIP TOPDEC	86cmx141cmx13mm	34x56x1/2	75	14	1050	30	2250	

MAT CODE	DESIGN	MAT SIZE		QUANTITY PER PALLET	20'		40'	
		CENTIMETERS	INCHES		NO OF CRATES	NO OF MATS PALLETIZED	NO OF CRATES	NO OF MATS PALLETIZED
M 066 A BK B	VIP TOPDEC	91cmx152cmx13mm	36x60x1/2	75	14	1050	30	2250
M 041 A BK S	METRIC HEAVY DUTY	148cmx99cmx22mm	58.5x39x7/8	50	14	700	25	1250
<b>INDUSTRIAL MATS</b>								
M 005 A BKS	COMFORTLOK	71cmx79cmx13mm	24x32x1/2	125	22	2750	36	4500
M 022 A BKS	DOME	91cmX61cmX13mm	32x29x1/2	175	18	3150	34	5950
M 023 A BKS	DOME	91cmx121cmx13mm	28x26x1/2	100	18	1800	25	2500
M 055 A BKS	SAFework	91cmX152cmX13mm	36X60X1/2	75	14	1050	30	2250
M 067 A BKS	WORKRITE	91cmX152cmX13mm	36X72X1/2	75	14	1050	30	2250
M 071 A BK NB	WORKSAFE HEAVY DUTY	91cmx152cmx22mm	24x16x7/8	50	14	700	30	1500
M 070 A BK NB	WORKSAFE HEAVY DUTY	91cmx120cmx22mm	22x15x7/8	50	14	700	36	1800
M 069A BK CG	WORKSAFE MODULA	91cmx91cmx13mm	31x20x7/8	80	20	1600	44	3520
M 020 A BK CG	DIAMOND MODULA	91cmx91cmx11.7mm	24X17X3/8	80	20	1600	34	2720
M 057 A BK CG	SOLID TOP	91cmx91cmx17mm	28x16x1/2	70	20	1400	37	2590
M 056 A BK S	SCRAPER	91cmx152cmx6mm	24x16x5/8	125	14	1750	18	2250
M 001 A BKS	BOOT DIP	98cmX81cmX46.9mm	39x32x2-1/2	20	28	560	56	1120
<b>OFFICE &amp; COMMERCIAL MATS</b>								
M 031 A BK S	HALLWAY	125cmX100cmx17mm	50x40x5/8	60	16	960	36	2160
M 061 A BK S	STEP MAT	74cmx24.5cmx6mm	30x10x1/5	500	24	12000	38	19000
M 040 A BK S	KEYHOLE	137cmx76cmx5mm	55x30x1/5	150	14	2100	26	3900
W 024 A BK S	EXECUTIVE	145cmx114cmx5mm	58x46x1/5	130	14	1820	18	2340
W 057 A BK CG	SOLID TOP	91cmx91cmx17mm	36x36x5/8	70	20	1400	37	2590
<b>ANIMAL AND AGRICULTURAL MATS</b>								
M 059 A BKS 140	STABLE	140cmx100cmx17mm	55x40x5/8	30	14	420	25	750
M 059 A BKS 175	STABLE	175cmx100cmx17mm	69x40x5/8	25	10	250	22	550
M 059 A BKS 200	STABLE	200cmx100cmx17mm	80x40x5/8	25	10	250	22	550
M 060 A BKS 150	STABLE	150cmx110cmx17mm	59x44x5/8	30	14	420	25	750
M 060 A BKS 175	STABLE	175cmx110cmx17mm	69x44x5/8	25	10	250	22	550
M 060 A BKS 200	STABLE	200cmx110cmx17mm	80x44x5/8	25	10	5600	22	550
M 058 A BKS 140	STABLE	140cmX100cmX17mm	55x40x5/8	30	14	420	25	750
M 058 A BKS 180	STABLE	180cmX100cmX17mm	72x40x5/8	25	10	250	22	550
M 058 A BKS 200	STABLE	200cmX100cmX17mm	80x40x5/8	25	10	250	22	550
M 007 A BK S	CHANNEL	91cmx181cmx9mm	36x72x3/8	60	18	1080	36	2160
M 008 A BK S	CHANNEL	91cm x181cmx12mm	36x72x1/2	40	18	720	36	1440
M 063 A BKS 150	TRAILER	15cm x120cmx9.5mm	59x47x3/8	50	10	500	20	1000
M 063 A BKS 200	TRAILER	200cmX120cmX9.5mm	79x39x3/8	40	10	400	20	800
Speciality Mats								
M 036 K BK S	K OCTAGONAL	150xcmx100cmx23mm	59x39x7/8	45	14	630	30	1350
M 052 A BK S	PLAIN SHEET	60cmx60cm	24x24	125	22	2750	33	4125
M 057 R BK CG	GRIT MAT	91cmx91cm	36x36	70	20	1400	37	2590
M 045 S BK CG	CUTTING FLUID MAT	91cmx91cm	36x36	60	20	1200	41	2460
M 020 T BK CG	WELDING MAT	91cmX91cmX11.7mm	36x36	80	20	1600	34	2720

NOTE: ABOVE ARE ALL MAXIMUM LOADABILITIES PER CONTAINER 40' FCL LOADABILITY WILL BE SUBJECTED TO DESTINATION ROAD RESTRICTIONS

# OUR ACHIEVEMENTS

Merit Award for Productivity in 1996 awarded by the National Institute of Business Management.

Merit Award for Export Performance in 1997 awarded by the National Chamber of Exporters of Sri Lanka.

Merit Award for Export Performance in 1998 awarded by the National Chamber of Exporters of Sri Lanka.

Merit Award to Mr. Anil Wickremeratne (CEO) in appreciation of the significant contribution made to the Rubber Industry of Sri Lanka, awarded by the Plastics & Rubber Institute of Sri Lanka.

Bronze Awarded for Export performance in 1999 awarded by the National Chamber of Exporters of Sri Lanka.

Merit Award for Productivity in 2000 awarded by the National Institute of Business Management.

Merit award for Export Performance in 2001 awarded by the National Chamber of Exporters of Sri Lanka.

Bronze Award for Export Performance in 2002 awarded by the National Chamber of Exporters of Sri Lanka.

Bronze Award for Export Performance in 2003 awarded by the National Chamber of Exporters of Sri Lanka.

Certificate of Commendation for Productivity in 2002 awarded by the National Productivity Secretariat of the Ministry of Employment & Labour.

Bronze Award for Industrial Excellence in 2002 awarded by the Ceylon National Chamber of Industries.

Bronze Award for Industrial Excellence in 2003 awarded by the Ceylon National Chamber of Industries of Sri Lanka.

Bronze Award for Export Performance in 2004 awarded by the National Chamber of Exporters of Sri Lanka.

Bronze Award for Export Performance in 2005 awarded by the National Chamber of Exporters of Sri Lanka.

Bronze Award for Export Performance in 2007 awarded by the National Chamber of Exporters of Sri Lanka.



Our Global Presence:

## **NORTH AMERICA**

USA | Canada

## **EUROPE**

Germany | The Netherland | France | Spain | UK | Czech Republic | Greece | Slovakia | Ireland

## **SCANDINAVIAN COUNTRIES**

Sweden | Denmark | Norway

## **ASIA PACIFIC**

Australia | Singapore | New Zealand | India

## **AFRICA**

South Africa

## **JAPAN**

### **Dai-ichi Shoji Co., Ltd.**

2-2-1 Minatomirai, Nishi District,  
Yokohama City, Kanagawa Prefecture  
Yokohama Landmark Tower 20th floor

TEL: +81 45 228 3251

FAX: +81 45 228 3277

E Mail: [info@daiichishoji.co.jp](mailto:info@daiichishoji.co.jp)

<http://www.daiichishoji.co.jp>

Koskanatte Road, Mampe, Piliyandala, Sri Lanka

Tel : +94 11 2708908-12, 2708914, 4216641-3

Fax : +94 11 2708915, 11 2708916, 11 2708917

## **Office in Canada**

5498, Fudge Terrace

Mississauga

ON L5M 0M9

Canada

Contact Person : Mrs. Rushanthy Pingamage

Tel : +1 905 2859970

Fax : +1 866 3101630

E Mail: [rushanthy@microcells.biz](mailto:rushanthy@microcells.biz)